

### Amendments to the Specification

**Page 103, line 3 to Page 104, line 4, please rewrite as follows:**

Preferable examples of Ar<sub>2</sub> include:

(1) (i) a C<sub>6-10</sub> aryl group (phenyl etc.) or (ii) a 5- or 6-membered aromatic heterocyclic group containing 1 to 4 hetero atom(s) selected from a nitrogen atom, an oxygen atom and a sulfur atom (optionally condensed with a benzene ring) (e.g. thienyl, furyl, pyrrolyl, imidazolyl, pyrazolyl, thiazolyl, isothiazolyl, oxazolyl, isooxazolyl, pyridyl, pyrazinyl, pyrimidinyl, pyridazinyl, oxadiazolyl, thiadiazolyl, furazanyl, indolyl, isoindolyl, benzofuranyl, quinolyl, isoquinolyl, naphthyridinyl, quinazolinyl, cinnolinyl, acridinyl etc.), each of which may have 1 to 5 (preferably 1 to 3) substituent(s) selected from halogen (fluoro, chloro etc.), C<sub>1-6</sub> alkyl (methyl, ethyl etc.), halogenoC<sub>1-6</sub> alkyl (trifluoromethyl etc.), hydroxy, C<sub>1-6</sub> alkoxy (methoxy, ethoxy etc.), halogenoC<sub>1-6</sub> alkoxy (trifluoromethoxy, trifluoroethoxy etc.), nitro, amino, cyano, carbamoyl, ~~carbamoyl which may be~~ each of which is optionally substituted with C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkyl, or amino which may be substituted with carbamoyl or formyl (NHCHO, NHCONH<sub>2</sub>, NHCONHMe etc.), C<sub>1-3</sub> alkylenedioxy (methylenedioxy etc.), aminocarbonyloxy group which may be substituted with C<sub>1-6</sub> alkyl (aminocarbonyloxy, methylaminocarbonyloxy, ethylaminocarbonyloxy, dimethylaminocarbonyloxy, diethylaminocarbonyloxy etc.), 5- to 7-membered cyclic amino-carbonyloxy ((1-pyrrolidinyl)carbonyloxy, piperidinocarbonyloxy etc.), aminosulfonyl, mono-C<sub>1-6</sub> alkylaminosulfonyl and di-C<sub>1-6</sub> alkylaminosulfonyl,